

ORDINANCE NO. 2009-1

**AN ORDINANCE PROVIDING FOR
DANGEROUS AND DERELICT STRUCTURES
ADOPTED BY THE CITY OF MAYWOOD PARK**

GENERALLY.

No property shall contain any dangerous structure or derelict building as described in this ordinance. All such structures shall be repaired or demolished.

Section 1. Derelict Buildings.

- A. A derelict building shall be considered to exist whenever any building, structure, or portion thereof which is unoccupied or any residential structure which is at least fifty percent (50%) unoccupied meets any of the following criteria:
1. Has been ordered vacated by the City pursuant to nuisance ordinances;
 2. Is physically unsecured;
 3. Is boarded; or
 4. Has, while vacant, had a nuisance abated by the City pursuant to this Ordinance.
- B. Any property which has been declared by the City to include a derelict building shall be considered in violation of this Ordinance until:
1. The building has been lawfully occupied;
 2. The building has been demolished and the lot cleared and graded under building permit, with final inspection and approval by the City; or
 3. The owner has demonstrated to the satisfaction of the City that the property is free of all conditions and in compliance with all notices listed in the definition of a derelict building in this Section.

Section 2. Dangerous Structures.

Any structure which has any or all of the following conditions or defects to the extent that life, health, property, or safety of the public or the structure's occupants are endangered, shall be deemed to be a dangerous structure and such condition or defects shall be abated pursuant to City citation.

- A. High Loads. Whenever the stress in any materials, member, or portion of a structure, due to all dead and live loads, is more than 1 ½ times the working stress or stresses allowed in the Oregon Structural Specialty Code and Fire and Life Safety Code for new buildings of similar structure, purpose, or location.
- B. Weakened or Unstable Structural Members or Appendages.
1. Whenever any portion of a structure has been damaged by fire, earthquake, wind, flood, or by any other cause, to such an extent that the structural strength or stability is materially less than it was before such catastrophe and is less than the minimum requirements of the Oregon State Structural Specialty Code and Fire and Life Safety Code for new buildings of similar structure, purpose, or location; or
 2. Whenever appendages including parapet walls, cornices, spires, towers, tanks, statuary, or other appendages or structural members which are supported by, attached to, or part of a building, and which are in a deteriorated condition or otherwise unable to sustain the design loads which are specified in the Oregon State Structural Specialty and Fire and Life Safety Code.
- C. Buckled or Leaning Walls, Structural Members. Whenever the exterior walls or other vertical structural members list, lean, or buckle to such an extent that a plumb line passing through the center of gravity does not fall inside the middle one-third of the base.
- D. Vulnerability to Earthquakes, High Winds.
1. Whenever any portion of a structure is wrecked, warped, buckled, or has settled to such an extent that walls or other structural portions have materially less resistance to winds or earthquakes than is required in the case of similar new construction; or
 2. Whenever any portion of a building, or any member, appurtenance, or ornamentation of the exterior thereof is not of sufficient strength or stability, or is not so anchored, attached or fastened in place so as to be capable of resisting a wind pressure of one-half of that specified in the Oregon Structural Specialty Code and Fire and Life Safety Code for new buildings of similar structure, purpose, or location without exceeding the working stresses permitted in the Oregon State Structural Specialty Code and Fire and Life Safety Code for such buildings.
- E. Insufficient Strength or Fire Resistance. Whenever any structure which, whether or not erected in accordance with all applicable laws and ordinances:
1. Has in any non-supporting part, member, or portion, less than fifty percent (50%) of the strength or the fire-resisting qualities or characteristics required by law for

a newly constructed building of like area, height, and occupancy in the same location; or

2. Has in any supporting part, member, or portion less than sixty-six percent (66%) of the strength or the fire-resisting qualities or characteristics required by law in the case of a newly constructed building of like area, height, and occupancy in the same location.

This subsection does not apply to strength required to resist seismic loads.

F. Risk of Failure or Collapse.

1. Whenever any portion or member of appurtenance thereof is likely to fail, or to become detached or dislodged, or to collapse and thereby injure persons or damage property; or
2. Whenever the structure, or any portion thereof, is likely to partially or completely collapse as a result of any cause, including but not limited to:
 - a. Dilapidation, deterioration, or decay;
 - b. Faulty construction;
 - c. The removal, movement, or instability of any portion of the ground necessary for the purpose of supporting such structure; or
 - d. The deterioration, decay, or inadequacy of its foundation.

G. Excessive Damage or Deterioration. Whenever the structure exclusive of the foundation:

1. Shows thirty-three percent (33%) percent or more damage or deterioration of its supporting member or members;
2. Fifty percent (50%) damage or deterioration of its non-supporting members; or
3. Fifty percent (50%) damage or deterioration of its enclosing or outside wall coverings.

H. Demolition Remnants on Site. Whenever any portion of a structure, including unfilled excavations, remains on a site for more than 30 days after the demolition or destruction of the structure.

I. Lack of Approved Foundation. Whenever any portion of a structure, including unfilled excavations, remains on a site, including:

1. Where a structure is not placed on an approved foundation and no valid permit exists for a foundation for that structure: or
 2. For more than 90 days after issuance of a permit for a foundation for a structure, where the structure is not placed on an approved foundation.
- J. Fire Hazard. Whenever any structure is a fire hazard as a result of any cause, including but not limited to: dilapidated condition, deterioration, or damage; inadequate exits; lack of sufficient fire-resistive construction; or faulty electric wiring, gas connections, or heating apparatus.
- K. Other Hazards to Health, Safety, or Public Welfare.
1. Whenever, for any reason, the structure, or any portion thereof, is manifestly unsafe for the purpose for which it is lawfully constructed or currently is being used; or
 2. Whenever a structure is structurally unsafe or is otherwise hazardous to human life, including but not limited to whenever a structure constitutes a hazard to health, safety, or public welfare by reason of inadequate maintenance, dilapidation, unsanitary conditions, obsolescence, fire hazard, disaster, damage, or abandonment.
- L. Public Nuisance.
1. Whenever any structure is in such a condition as to constitute a public nuisance known to the common law or in equity jurisprudence; or
 2. Whenever the structure has been so damaged by fire, wind, earthquake, or flood, or any other cause, or has become so dilapidated or deteriorated as to become:
 - a. An attractive nuisance, or
 - b. A harbor for vagrants or criminals.
- M. Chronic Dereliction. Whenever a derelict building, as defined in this Ordinance, remains unoccupied for a period in excess of six months or a period less than six months when the building or portion thereof constitutes an attractive nuisance or hazard to the public.
- N. Violations of Codes, Laws. Whenever any structure has been constructed, exists, or is maintained in violation of any specific requirement or prohibition applicable to such structure provided by the building regulations of this City, as specified in the Oregon State Structural Specialty Code and Fire and Life Safety Code or any law or ordinance of this State or City relating to the condition, location, or structure or buildings.

Section 3. Abatement of Dangerous Structures.

All structures or portions thereof which are determined after inspection by the City to be dangerous as defined in this Ordinance are hereby declared to be public nuisances and shall be abated by repair, rehabilitation, demolition, or removal in accordance with the procedures specified herein. If the City determines that a structure is dangerous, as defined by this Ordinance, the City may commence proceedings to cause the repair, vacation, demolition, or warehousing of the structure.

The City Council hereby declares an emergency, declaring that this Ordinance is immediately necessary to secure the continued general public health and general welfare of the citizens of the City of Maywood Park, and that this Ordinance is immediately necessary to conserve, stabilize, and protect property within the incorporated area of the City of Maywood Park. The Ordinance shall take effect and be in force immediately.

PASSED AND APPROVED by the City Council of the City of Maywood Park on the 20th day of January, 2009.

/s/ Mark Hardie
MARK HARDIE, Mayor

ATTEST:

/s/ Julie D. Risley
JULIE D. RISLEY, City Recorder/Treasurer